Contents

Preface xi

Committees xii

Acknowledgement xiii

Köster, E.
Trends in magnetic recording media *(Opening Lecture)* 1

Magnetic, chemical and physical properties of particulate recording media

Speliotis, D.E.
Double-layer particulate magnetic recording media 11

Komoda, H., F. Echigo, M. Hasegawa and N. Kaminaka
Magnetic recording characteristics of a flexible disk with a non-magnetic underlayer 16

Götz, K.
CrO_2 particles for DCC tape 19

Suzuki, T., T. Oguchi, Y. Kishimoto and N. Saito
Ba ferrite 8 mm data tapes 25

Speliotis, D.E. and K. Peter
High density digital recording on 4 mm metal particle and Ba-ferrite tapes 28

Nagai, N., N. Sugita and M. Maekawa
Formation of hexagonal, platelike Ba-ferrite particles with low temperature dependence of coercivity 33

Deng, M.-C. and T.-S. Chin
Effects of composition and processing on properties of modified maghemite for high-density recording 37

Gougeon, M., O. Dupuy, Ch. Sarda, P. Mollard and A. Rousset
Influence of barium on the Co modification of γ-Fe_2O_3 particles derived from oxalic precursors 40

Schwab, E., R.J. Veitch and H. Auweter
Cobalt-modified iron oxides with improved aging stability 43

Rösler, M., E. Held and H. Hofmeister
The effect of dendritic shapes of goethite particles on their transformation to iron oxide and iron particles 48

Papirer, E., E. Walter, A. Vidal and E. Held
Characterization of iron pigments 53

Litsardakis, G., A.C. Stergiou, J. Georgiou, S. Sklavounos, D. Samaras, M. Pernet and P. Germi
Non-stoichiometric barium ferrite particles for high-density magnetic recording 58

Müller, R.
Preparation of $BaZn_{2-x}Co_xFe_{16}O_{27}$ W-type hexaferrite powders by the glass crystallization method 61

Chin, T.-S., S.L. Hsu and M.C. Deng
Barium ferrite particulates prepared by a salt-melt method 64

Pankov, V.V., M. Pernet, P. Germi and P. Mollard
Fine hexaferrite particles for perpendicular recording prepared by the coprecipitation method in the presence of an inert component 69

Sankaranarayanan, V.K., Q.A. Pankhurst, D.P.E. Dickson and C.E. Johnson
Ultrafine particles of barium ferrite from a citrate precursor 73

Goerlitz, W. and A. Ito
Substrates for flexible magnetic recording media: The role of base films for modern performance requirements 76

Vass, A.
Increasing the stability of dispersions using charge-developing low-molecular codispersants 83

Kim, K.J., P.D. Glasgow and E.G. Kolycheck
A road to stable dispersions: polymer–particle interactions 87

Sollis, P.M., P.R. Bissell, P.I. Mayo, R.W. Chantrell, R.G. Gilson and K. O'Grady
Characterisation of the dispersion process using transverse susceptibility measurements 94

Gilson, R.G.
Drying of particulate media coatings 97

Schmitt, W.
Erasability of Co-modified iron oxide tapes 100

Lekawat, L., G.W.D. Spratt and M.H. Kryder
Erasure of high-energy magnetic tape recording media 103

Sugaya, H., T. Arai and Y. Ueda
Overwrite recording on different recording media 106

Speliotis, D.E. and C.E. Johnson
Particle orientation and waveform asymmetry in Ba-ferrite tapes 112

Wielinga, T. and J. Melissant
New optical devices for surface roughness measurements 116

Cascini, E.
Relativity of the dropouts measurement process 119

Schelble, J.
Stabilization of oleic acid in audio tapes 122

Lin, C.-L., T.-A. Yeh, J.M. Sivertsen and J.H. Judy
Finite element stress analysis of the inhomogeneous carbon overcoat for rigid magnetic disks 125

Magnetostatic and magnetodynamic properties of recording materials

Spada, F.E., F.T. Parker, C.Y. Nakakura and A.E. Berkowitz
Studies of anisotropy mechanisms in polyphosphate-treated magnetic iron oxide particles 129

Tagawa, I. and Y. Nakamura
Particle coercivity distribution of magnetic recording medium 136

Bottoni, G.
Reversal modes in particles for magnetic recording modified with ionic substitutions 141

van Kooten, M., S. de Haan, J.C. Lodder, A. Lyberatos, R.W. Chantrell and J.J. Miles
Simulations of the magnetization reversal of clustered Co–Cr particles 145

Dinnis, A.K., B.K. Middleton and J.J. Miles
Theory of longitudinal digital magnetic recording on thick media 149

Liu, B. and W.W. Clegg
A two stage model for the transition process in perpendicular magnetic recording 154

S-Araghi, M., P.R. Bissell, R.W. Chantrell and R.A. Loyd
Reptation effects as a mechanism for localised demagnetisation in video tapes 160

Richards, D., J.W. Harrell and M.R. Parker
Remanence studies of interparticle interactions in Ba-ferrite 164

Bottoni, G., D. Candolfo, M. Cecchetti, A.R. Corradi and F. Masoli
Influence of the packing density on the coercivity of iron particles for magnetic recording 167

Speliotis, D., P. Judge, W. Lynch, J. Burbage and R. Keirsted
Extremely narrow switching fields in oriented Ba-ferrite particulate media 172

Huang, H.-L., I. Klik, C.-R. Chang and K.-K. Liang
Coercivity dynamics in micromagnets 177

Song, K., M.R. Parker and J.W. Harrell
Determination of activation volumes in BaFe and metal particle coatings 180

de Witte, A.M., M. El-Hilo, K. O'Grady and R.W. Chantrell
Sweep rate measurements of coercivity in particulate recording media 184

de Witte, A.M., K. O'Grady and R.W. Chantrell
The determination of the fluctuation field in particulate media 187

Zhong, X.P., G.H. Wang and H.L. Luo
Correlation of the activation volume with the crystallite size in γ-Fe_2O_3 and Co-modified γ-Fe_2O_3 fine particles 190

Schwab, E. and R.J. Veitch
Influence of crystallite size and shape on the viscous magnetization of γ-Fe_2O_3 particles 193

Chang, C.-R. and J.-P. Shyu
Particle interaction and coercivity for acicular particles 197

Berkov, D.V. and R.W. Chantrell
Transverse susceptibility for the fanning mode of magnetisation reversal 200

Pfeiffer, H. and R.W. Chantrell
Zero-field-cooled magnetization and initial susceptibility of magnetic particle systems 203

Li Hui Hong, J.K., B.K. Middleton and J.J. Miles
Modelling of recording system performance and its relationship to recording media properties 206

Coverdale, G.N., R.W. Chantrell, A. Hart and D. Parker
A 3-D simulation of a particulate dispersion 210

Bottoni, G., D. Candolfo, A. Cecchetti, V.M. Fedosyuk and F. Masoli
Magnetization processes in CoNiW films 213

Richter, H.J. and H. Hibst
Intrinsic hysteresis properties of ME tape 217

Bernards, J.P.C. and H.A.J. Cramer
Remanence curves of thin-film media with a tilted easy magnetisation direction corrected for demagnetisation 221

van Kranenburg, H., C. Lodder and T.J.A. Popma
Asymmetric co-evaporated Co–Cr films: magnetic parameters and reversal mechanism 225

Takahashi, M., T. Shimatsu, M. Suekane, M. Miyamura, K. Yamaguchi and H. Yamasaki
Magnetic evaluation of intergranular interactions in thin-film media by rotational hysteresis loss analysis 229

Suran, G., H. Ouahmane and J. Sztern
On the origin of the perpendicular anisotropy in rare earth–transition metal amorphous films 232

Devlin, E., V. Psycharis, A. Kostikas, A. Simopoulos, D. Niarchos, A. Jankowski, T. Tsakalakos, H. Wan and G. Hadjipanayis
Structure and magnetic anisotropy of Fe/Pt multilayers 236

Smardz, L., B. Szymański, R. Gontarz, P. Stefański and J. Barnaś
Interface magnetic anisotropy in metallic superlattices 239

El-Hilo, M., K. O'Grady and R.W. Chantrell
Demagnetised states and activation volumes in thin-film media 244

Thin film media: magnetic and magneto-optical

Tsutsumi, K.
Direct overwrite materials for magneto-optic recording 247

Hirata, T., K. Song and M. Naoe
Co–Cr/Al multilayers for perpendicular magnetic/magneto-optical two-way recording media 254

Liu, B., W.W. Clegg and C.D. Wright
An analysis of the thermal characteristics of magnetic field modulation method of magneto-optical recording 259

Kenny, M., I.Z. Rahman, M.A. Rahman, B. Bechevet, J. Mouchot and J. Daval
Thermomagnetic recording properties of novel bismuth-substituted garnet films 265

Donnet, D.M., J.N. Chapman, H.W. van Kesteren and W.B. Zeper
An investigation of thermomagnetically written domains in Co/Pt multilayers 268

van Kesteren, H.W. and W.B. Zeper
Controlling the Curie temperature of Co/Pt multilayer magneto-optical recording media 271

Chassaing, I., J.-P. Bonino, P. Tailhades, A. Rousset and P. Mollard
Microstructure and magneto-optical properties of $CoMn_xFe_{2-x}O_4$ spinel ferrite thin films 274

Gontarz, R., L. Smardz, B. Szymanski and P. Juzikis
Magnetic properties of electrolytic Co–Pd alloy films 278

Hokkyo, J., T. Suzuki, K. Chiba, K. Sato, Y. Arisaka, T. Sasaki and Y. Ebine
Co–Ni obliquely evaporated tape and its magnetic and recording characteristics 281

Münster, E.
Calculation of intrinsic magnetic fields in thin films 286

Vajda, F., E. Della Torre and M. Pardavi-Horvath
Characterization of disk media 289

Schildberg, H.P., G. Fischer, A. Hagemeyer and H. Hibst
Spacing loss of ME tape 292

Yamamoto, S., H. Muraoka, I. Watanabe, Y. Nakamura and K. Ouchi
Continuous fabrication of Co–Cr perpendicular magnetic recording tape 296

Bozzini, B., D. De Vita, A. Sportoletti, G. Zangari, P.L. Cavallotti and E. Terrenzio
Electrodeposited Co–Pt thin films for magnetic hard disks 300

Mapps, D.J., G. Pan, M.A. Akhter, S. Onodera and A. Okabe
In-contact magnetic recording performance of Pt/CoCrTa thin films on glass computer disks 305

Khan, M.R., B. Marchon, J.L. Pressesky, S.Y. Lee, C. Deshpandey, S. Duan, D. Speliotis and M. Scheinfein
Correlations of modulation noise with magnetic microstructure, transition parameter and rms transition variation for CoCrTa and CoNi thin film media 310

Yeh, T.-A., C.-L. Lin, J.M. Sivertsen and J.H. Judy
Friction, wear and elasto-plastic stress analysis of rf-sputtered carbon–nitrogen protective coatings for rigid magnetic storage disks 314

Dreßler, B., K. Graichen, G. Bärwolff, L. Jehring and G. Seifert
Air-lubrication of magnetic disk sliders 319

Muraoka, H., S. Yamamoto and Y. Nakamura
An analysis of medium noise of Co–Cr double-layer films in perpendicular magnetic recording 323

Groenland, J.P.J., G.J.P. van Engelen, J.P.C. Bernards and H.A.J. Cramer
Investigating recording patterns using magnetic force microscopy 327

Cord, B., S. Schulz and K.H. Schuller
Single-disk process technology for magnetic media 330

Perettie, D., W. Hwang, T. McCarthy, P. Pierini, D. Speliotis, J. Judy and Q. Chen
A high-performance, flexible substrate for thin-film media 334

Matsuda, H., G.A. Jones, O. Takano and P.J. Grundy
Room-temperature electroless deposition of high-coercivity Co–Ni–P films 338

Hsu, J.H. and C.-R. Chang
Origin of enhanced coercivity in $(Fe_{65}Co_{35})_x(Al_2O_3)_{1-x}$ granular thin films 342

Nakagawa, S. and M. Naoe
Effective suppression of internal stresses in Co–Cr films using a mixture of Ar and Kr as the sputtering gas 345

Nakagawa, S., H. Tanaka and M. Naoe
Fe–Ni–Zr films with large perpendicular anisotropy deposited on PEN tape by facing targets sputtering 349

van Kranenburg, H., C. Lodder and T.J.A. Popma
Morphology and texture of co-evaporated Co-Cr films 353

Ishikawa, A., T. Ohno, S. Sakano and Y. Shiroishi
Effects of substrate microstructure on the magnetic anisotropy of sputtered cobalt alloy film 357

ten Berge, P., J.C. Lodder, R. Plößl and J.N. Chapman
Magnetic microstructure of sputtered Co–Cr films 362

Ishiguro, T., S. Yamada, K. Katagiri and Y. Ichinose
Pole density distributions in Co/Cr bilayers and magnetic properties 366

Fredrikze, H., P. de Haan, J.C. Lodder and M.Th. Rekveldt
Neutron reflectometry on Co–Cr layers 369

Kraan, W.H., M.Th. Rekveldt, P. de Haan and J.C. Lodder
Domain wall effects in neutron depolarisation in Co–Cr films 372

Miles, J.J. and B.K. Middleton
The effect of track width on transition noise in longitudinal thin-film media 375

Wadas, A., H.J. Hug, A. Moser and H.-J. Güntherodt
Domain structure of Ba ferrite observed by tunneling stabilized magnetic force microscopy 379

Author index to volume 120 383

Subject index to volume 120 389